

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. - 2. (Canceled).

3. (Previously Presented) A method for establishing a communication between an origination terminal and a destination terminal, comprising:

wirelessly transmitting an originating message, including a sub-address corresponding to either a voice call or a video call, from the origination terminal to the destination terminal;

receiving the originating message and judging by the destination terminal whether there is an origination continuation message information in the originating message;

determining whether a distinguishing function is set active in the destination terminal;

distinguishing whether a call associated with the originating message is a video call or a voice call based on the sub-address if the distinguishing function is set and if an origination continuation message transmitted after the originating message is received at the destination terminal; and

connecting the call as the voice call or the video call, between the origination terminal and the destination terminal, in accordance with the sub-address if the origination continuation message is received and the distinguishing function is set.

4. (Canceled).

5. (Previously Presented) The method of claim 3, further comprising terminating the call as a general voice call if the originating message does not include the origination continuation message information, or the distinguishing function is not active, or the video call and the voice call are not distinguishable based on the origination continuation message.

6. (Previously Presented) The method of claim 3, further comprising:
waiting for the origination continuation message for a predetermined period, if the originating message includes the origination continuation message information.

7. (Currently amended) The method of claim 3, further comprising:
displaying on a user interface of the destination terminal the result of the distinguishing operation;

selecting whether to receive the distinguished video call or the voice call ~~identified~~,
on the user interface; and

connecting one of the video call or the voice call between the origination terminal
and the destination terminal if the video call or the voice call are selected to be received ~~based on~~
~~the selection.~~

8. (Previously Presented) The method of claim 7, further comprising notifying the
origination terminal of a refusal to receive the video call or the voice call via a refusal message if
neither of the video call or the voice call are selected to be received.

9. – 14. (Canceled)

15. (Previously Presented) A multimedia communication method, comprising:
receiving an originating message at a destination terminal, the message being
communicated wirelessly by an origination terminal;
determining whether the originating message includes origination continuation
message information;
determining whether a distinguishing function is set active in the destination
terminal;

distinguishing a call from the origination terminal as a video call or a voice call based on a sub-address in the originating message, by the destination terminal if the distinguishing function is set;

connecting the destination terminal to the call using a communication medium based on the sub-address in the originating message if the distinguishing function is set and the originating message includes the origination continuation message information; and

connecting the destination terminal to the call using a voice medium, if the distinguishing function is not set or the originating message does not include the origination continuation message information.

16. (Original) The method of claim 15, wherein:

the communication medium is a video medium, if the call is the video call; and

the communication medium is a voice medium, if the call is the voice call or if the originating message does not distinguish the call type.

17. (Previously Presented) The method of claim 15, further comprising:

waiting a predetermined period of time for the origination continuation message, if the originating message includes the origination continuation message information.

18. (Original) The method of claim 15, further comprising:

displaying the call type on a user interface, based on the result of the distinguishing operation; and

selecting whether to connect the destination terminal to the call through the user interface; and

transmitting a refusal message to the origination terminal, if a user selects not to connect to the call.
19. (Previously Presented) The method of claim 15, wherein the originating message comprises:

a National Destination Code (NDC) that identifies a call relay in a communication network;

a Subscriber Number (SN) that identifies the destination terminal of the call; and

the sub-address (SA) that distinguishes a plurality of communication media supported by the destination terminal.
20. (Previously Presented) The method according to claim 15, further comprising:

determining whether to connect to the call; and

transmitting a refusal message to the origination terminal, if a user selects not to connect to the call.

21. (Previously Presented) A multimedia communication terminal, comprising:
- a means for determining whether a distinguishing function is set active in the terminal;
 - a means for distinguishing and indicating whether a call received from a wireless communication network is a video call or a voice call if the distinguishing function is set active;
 - a user interface means for displaying a type of the call received and selecting whether to receive the call; and
 - a means for connecting one of the video call to a video communication medium or the voice call to a voice communication medium associated with the terminal based on the selection if the distinguishing function is set active.

22. (Previously Presented) The method of claim 21, further comprising means for displaying the call type on a user interface, based on the result of the distinguishing.

Serial No. **10/024,296**

Docket No. **P-0302**

Amdt. dated August 9, 2006

Reply to Office Action of May 11, 2006

23. (Previously Presented) The method of claim 21, further comprising means for transmitting a refusal message to an origination terminal via the wireless communication network if a user selects not to receive the call.

24. (Previously Presented) The method according to claim 21, further comprising means for determining whether a received originating message associated with the call includes origination continuation message information.